




























Electromagnetic Locks (GD)







SKU	PICTURE	NAME	Weight (g)
AB100		JF-0630B DC 24 V 300mA Push Pull Solenoid Elektromagnet, 10mm 6N (Single Power-On Time Should be within 1 Minute)	
AB101		JF-S0837DL DC 12V 1A 10mm Stroke 15N Force Open Frame Type Solenoid for Electric Door Lock	
AB102		DC 12V Cabinet Door Lock Electric Lock Assembly Solenoid	
AB103		1240 12V DC 0.6A 7.5W Solenoid for Electric Door Lock Size: 55*28*30(mm)	
AB104		1240 24V DC 0.6A 7.5W Solenoid for Electric Door Lock Size: 55*28*30(mm)	







<p>AB105</p>		<p>1240-12V DC 12V 1.7A 20.6W 1kg Holding Solenoid for Electric Door Lock Size: 40*24*29(mm) 5mm/750g 0mm/1200g</p>	
<p>GD001</p>		<p>LY03 DC24V 1.2A 28.8W Electromagnetic Lock Upward</p> <p>Note: Don't power on for a long time</p>	<p>200</p>
<p>GD002</p>		<p>LY03 DC12V 0.4A 4.8W Electromagnetic Lock Upward</p> <p>Note: It Can be Electrified for A Long Time</p>	<p>200</p>
<p>GD003</p>		<p>LY03 DC24V 0.3A 7.2W Electromagnetic Lock Upward</p> <p>Note: It Can be Electrified for A Long Time</p>	<p>200</p>
<p>GD004</p>		<p>LY03 DC12V 0.3A 3.6W Electromagnetic Lock Upward</p> <p>Note: It Can be Electrified for A Long Time, Rust and Corrosion Proof</p>	<p>200</p>
<p>GD005</p>		<p>LY03 DC24V 0.3A 7.2W Electromagnetic Lock Upward</p> <p>Note: It Can be Electrified for A Long Time, Rust and Corrosion Proof</p>	<p>200</p>







GD006		<p>Waterproof LY03 DC12V 1.15A 13.8W Electromagnetic Lock Upward</p> <p>Note: Don't Power On for A Long Time, Rust and Corrosion Proof</p>	200
GD007		<p>Waterproof LY03 DC24V 0.8A 19.2W Electromagnetic Lock Upward</p> <p>Note: Don't Power On for A Long Time, Rust and Corrosion Proof</p>	200
GD008		<p>LY03 DC12V 1.15A 13.8W Electromagnetic Lock Upward</p> <p>Note: With Tail Rod, Can't be Long Time Power, Can be Manually Unlocked</p>	200
GD009		<p>LY03 DC24V 0.8A 19.2W Electromagnetic Lock Upward</p> <p>Note: With Tail Rod, can't be Long Time Power, Can be Manually Unlocked</p>	200
GD010		<p>LY03 DC12V 0.3A 3.6W Electromagnetic Lock Upward</p> <p>Note: It Can be Powered On for A Long Time</p>	200

GD011		<p>LY03 DC24V 0.2A 4.8W Electromagnetic Lock Upward</p> <p>Note: It Can be Powered On for A Long Time</p>	200
GD012		<p>LY03 DC12V 0.4A 4.8W Electromagnetic Lock Upward</p> <p>Note: With Feedback Signal, Long - time Power</p>	200
GD013		<p>LY03 3N Large Suction DC12V 2A 24W Electromagnetic Lock Upward</p> <p>Note: Don't Power On for A Long Time</p>	200
GD014		<p>LY03 Lengthened Lock DC12V 0.8A 24W Electromagnetic Lock Upward</p> <p>Note: Don't Power On for A Long Time</p>	200
GD015		<p>LY-031 DC12V 0.4A Electromagnetic Lock Upward</p>	190
GD016		<p>LY-031 DC12V 0.4A Electromagnetic Lock Downward</p>	190

GD017		<p>LY-031 DC12V 0.4A Electromagnetic Lock Right</p>	190
GD018		<p>LY-031 DC12V 0.4A Electromagnetic Lock with tail rod Upward</p>	190
GD019		<p>LY-031 DC12V 0.4A Electromagnetic Lock Locks Add Long Upward</p>	190
GD020		<p>LY-031 DC6V 0.8A Electromagnetic Lock Upward</p>	190
GD021		<p>LY-031 DC12V 1.8A Electromagnetic Lock Four Wire with Feedback Oblique Port</p>	190
GD022		<p>LY-031 DC12V 1.8A Electromagnetic Lock Four Wire with Feedback Round Mouth Port</p>	190







GD023		<p>DC12V 0.8A 9.6W Electromagnetic Locks Downward</p>	200
GD024		<p>DC12V 0.8A 9.6W Electromagnetic Locks Right</p>	200
GD025		<p>DC24V 0.8A 19.2W Electromagnetic Locks Upward</p>	200
GD026		<p>DC24V 0.8A 19.2W Electromagnetic Locks Downward</p>	200
GD027		<p>DC24V 0.8A 19.2W Electromagnetic Locks Right</p>	200
GD028		<p>LY-01 DC12V 1.2A 14.4W Electromagnetic Lock</p> <p>Note: Don't power on for a long time</p>	200







GD029		<p>LY-01 DC24V 1.2A 28.8W Electromagnetic Lock</p> <p>Note: Don't power on for a long time</p>	200
GD030		<p>LY-01 DC12V 0.4A 4.8W Electromagnetic Lock</p> <p>Note: It Can be Electrified for A Long Time</p>	200
GD031		<p>LY-01 DC24V 0.3A 7.2W Electromagnetic Lock</p> <p>Note: It Can be Electrified for A Long Time</p>	200
GD032		<p>LY-01 DC12V 0.4A 4.8W Electromagnetic Lock</p> <p>Note: It Can be Electrified for A Long Time, Rust and Corrosion Proof</p>	200
GD033		<p>LY-01 DC24V 0.3A 7.2W Electromagnetic Lock</p> <p>Note: It Can be Electrified for A Long Time, Rust and Corrosion Proof</p>	200
GD034		<p>LY-01 2N Large Suction DC12V 2A 24W Electromagnetic Lock</p> <p>Note: Don't Power On for A Long Time</p>	200







GD035		<p>LY-01 Electric Lock DC12V 0.3A 3.6W Electromagnetic Lock</p> <p>Note: It Can be Electrified for A Long Time</p>	200
GD036		<p>LY-01 Electric Lock DC24V 0.2A 4.8 Electromagnetic</p> <p>Note: It Can be Electrified for A Long Time</p>	200
GD037		<p>LY-01 DC12V 0.4A 4.8W Electromagnetic Lock</p> <p>Note: with Feedback Signal, Long - time Power</p>	200
GD038	 <p>产品尺寸: 50*40*10mm</p>	<p>Black XG-07E DC5V 1.2A Small Locker Electromagnetic Lock Size:50*40*10MM</p> <p>Note: Titanium Wire Miniature, Four Wire with Feedback</p>	64
GD039	 <p>DC12V/1.4A金属钛丝款【四线带反馈】 产品尺寸: 50*40*10mm</p>	<p>Black XG-07E DC12V 1.4A Small Locker Electromagnetic Lock Size:50*40*10MM</p> <p>Note: Titanium Wire Miniature, Four Wire with Feedback</p>	64
GD040		<p>Black XG-07E DC5V 0.8A Small Locker Electromagnetic Lock Size:73*58*13MM</p> <p>Note:PlasticTitanium Wire , Four Wire with Feedback</p>	40







GD041		<p>Black XG-07E DC12V 0.8A Small Locker Electromagnetic Lock Size:73*58*13MM</p> <p>Note:PlasticTitanium Wire , Four Wire with Feedback</p>	40
GD042		<p>Silver XG-07C DC12V 2A Small Locker Electromagnetic Lock with Wire Size:73*58*13MM</p>	64
GD043		<p>Black XG-07C DC12V 2A Small Locker Electromagnetic Lock with Wire Size:73*58*13MM</p>	64
GD044		<p>Silver XG-07C DC12V 2A Small Locker Electromagnetic Lock Four Wire with Feedback Size:73*58*13MM</p>	64
GD045		<p>Black XG-07C DC12V 2A Small Locker Electromagnetic Lock Four Wire with Feedback Size:73*58*13MM</p>	64
GD046		<p>Type A Black XG-07D DC12V 2A Small Locker Electromagnetic Lock with Two Wire Unlock Recoil Size:72*65*13MM</p>	64







GD047		<p>Type B Black XG-07D DC12V 2A Small Locker Electromagnetic Lock with Four Wire Unlock Recoil</p>	64
GD048		<p>Waterproof Gray XG-07D DC12V 2A Small Locker Electromagnetic Lock with Four Wire</p>	64
GD049		<p>Silver XG-07A DC12V 2A Small Locker Electromagnetic Lock with Four Wire Size:53*40*13MM</p>	64
GD050		<p>Black XG-07B DC12V 2A Small Locker Electromagnetic Lock with Four Wire Size:50*64*13MM</p>	64
GD051		<p>Black XG-07C DC5V 1.5A Small Locker Electromagnetic Lock Four Wire with Feedback</p>	64
GD052		<p>Black XG-07C DC24V 1A Small Locker Electromagnetic Lock Four Wire with Feedback</p>	64







GD053		<p>Silver XG- 08 DC12V 1.5A Small Electromagnetic Lock with Wire</p>	223
GD054		<p>Silver XG-08 DC12V 1.5A Small Electromagnetic Lock Four Wire with Feedback</p>	223
GD055		<p>Silver XG- 08 DC12V 1.8A Small Electromagnetic Lock Four Wire with Feedback Unlock Recoil</p>	223
GD056		<p>LY-06 DC12V 5N 10MM Push-pull Electromagnetic Lock</p>	140
GD057		<p>LY-06 DC24V 5N 10MM Push-pull Electromagnetic Lock</p>	140
GD058	 LY-011A	<p>LY-011A DC5V Small Electromagnetic Lock</p> <p>Note:For Shared Charge Bank</p>	140







<p>GD059</p>	 <p>LY-011B</p>	<p>LY-011B DC5V Small Electromagnetic Lock</p> <p>Note:For Shared Charge Bank</p>	<p>140</p>
<p>GD060</p>	 <p>LY-011C</p>	<p>LY-011C DC5V Small Electromagnetic Lock</p> <p>Note:For Shared Charge Bank</p>	<p>140</p>
<p>GD061</p>	 <p>LY-011C</p>	<p>LY-011C DC12V Small Electromagnetic Lock</p> <p>Note:For Shared Charge Bank</p>	<p>150</p>
<p>GD062</p>	 <p>LY-011D</p>	<p>LY-011D DC5V Small Electromagnetic Lock</p> <p>Note:For Shared Charge Bank</p>	<p>150</p>
<p>GD063</p>	 <p>LY-011D</p>	<p>LY-011D DC12V Small Electromagnetic Lock</p> <p>Note:For Shared Charge Bank</p>	<p>150</p>
<p>GD064</p>		<p>LY-025 DC12V 42N 12MM Through Push-pull Electromagnetic Lock</p>	<p>260</p>







GD065		<p>LY-026 DC12V 20N 9MM Through Push-pull Electromagnetic Lock</p>	230
GD066		<p>LY-078 DC12V Push-pull Electromagnetic Lock</p> <p>Note: It Can be Electrified for A Long Time</p>	250
GD067		<p>LY-078 DC24V Push-pull Electromagnetic Lock</p> <p>Note: It Can be Electrified for A Long Time</p>	250
GD068		<p>LY-078 DC12V Push-pull Electromagnetic Lock</p> <p>Note: Don't Power On for A Long Time</p>	250
GD069		<p>LY-019 DC12V 74N 25MM Penetrating Electromagnetic Lock</p>	260
GD070		<p>LY-019 DC12V 74N 25MM Non-Penetrating Electromagnetic Lock</p>	260




GD071		<p>LY-019 DC12V 74N 25MM Penetrating Electromagnetic Lock</p> <p>Note:Power On for A Long Time</p>	260
GD072		<p>LY-07 DC6V Small Push-pull Electromagnetic Lock</p>	110
GD073		<p>LY-07 DC12V Small Push-pull Electromagnetic Lock</p>	110
GD074		<p>LY-07 DC24 Small Push-pull Electromagnetic Lock</p>	110
GD075		<p>JF-0630B DC6V 6N 10MM Permeable Electromagnet Lock</p>	46
GD076		<p>JF-0630B DC12V 6N 10MM Permeable Electromagnet Lock</p>	46







GD077		JF-0630 DC6V 6N 10MM Frame Type Electromagnet Lock	46
GD078		JF-0630 DC12V 6N 10MM Frame Type Electromagnet Lock	46
GD079		JF-0630 DC24V 6N 10MM Frame Type Electromagnet Lock	46
GD080		JF-1253B DC6V 6N 10MM Permeable Electromagnet Lock	200
GD081		JF-1253B DC12V 6N 10MM Permeable Electromagnet Lock	200
GD082		JF-1253B DC24V 6N 10MM Permeable Electromagnet Lock	200







GD083		JF-1253B DC36V 6N 10MM Permeable Electromagnet Lock	200
GD084		JF-S0837D DC6V 15N 10MM Permeable Electromagnet Lock	110
GD085		JF-S0837D DC24V 15N 10MM Permeable Electromagnet Lock	110
GD086		JF-S0837D DC36V 15N 10MM Permeable Electromagnet Lock	110
GD087		JF-0730B DC6V 5N 10MM Permeable Electromagnet Lock	40
GD088		JF-0730B DC12V 5N 10MM Permeable Electromagnet	40







GD089		JF-0730B DC24V 5N 10MM Permeable Electromagnet Lock	40
GD090		JF-0730B DC36V 5N 10MM Permeable Electromagnet Lock	40
GD091		JF-1264B DC6V 55N 10MM Permeable Electromagnet Lock	330
GD092		JF-1264B DC12V 55N 10MM Permeable Electromagnet Lock	330
GD093		JF-1264B DC24V 55N 10MM Permeable Electromagnet Lock	330
GD094		JF-1264B DC36V 55N 10MM Permeable Electromagnet Lock	330







GD095		JF-0826B DC6V 20N 10MM Permeable Electromagnet Lock	80
GD096		JF-0826B DC12V 20N 10MM Permeable Electromagnet Lock	80
GD097		JF-0826B DC24V 20N 10MM Permeable Electromagnet Lock	80
GD098		JF-0826B DC36V 20N 10MM Permeable Electromagnet Lock	80
GD099		JF-0826 DC6V 20N 10MM Frame Type Electromagnet Lock	80
GD100		JF-0826 DC12V 20N 10MM Frame Type Electromagnet Lock	80







GD101		JF-0826 DC24V 20N 10MM Frame Type Electromagnet Lock	80
GD102		JF-1564B DC6V 55N 10MM Permeable Electromagnet Lock	33
GD103		JF-1564B DC12V 55N 10MM Permeable Electromagnet Lock	33
GD104		JF-1564B DC24V 55N 10MM Permeable Electromagnet Lock	33
GD105		JF-1564B DC36V 55N 10MM Permeable Electromagnet Lock	33
GD106		JF-1564 DC12V 55N 10MM Frame Type Electromagnet Lock	33







GD107		JF-1564 DC24V 55N 10MM Frame Type Electromagnet Lock	33
GD108		JF-0520B DC6V 4N 10MM Push-pull Permeable Electromagnet Lock	30
GD109		JF-0520B DC12V 4N 10MM Push-pull Permeable Electromagnet Lock	30
GD110		JF-0520B DC24V 4N 10MM Push-pull Permeable Electromagnet Lock	30
GD111		JF-0520B DC36V 4N 10MM Push-pull Permeable Electromagnet Lock	30
GD112		JF-0520 DC6V 4N 10MM Frame Type Electromagnet Lock	30







GD113		JF-0520 DC12V 4N 10MM Frame Type Electromagnet Lock	30
GD114		JF-0520 DC24V 4N 10MM Frame Type Electromagnet Lock	30
GD115		JF-1039B DC6V 25N 10MM Push-pull Permeable Electromagnet Lock	110
GD116		JF-1039B DC12V 25N 10MM Push-pull Permeable Electromagnet Lock	110
GD117		JF-1039B DC24V 25N 10MM Push-pull Permeable Electromagnet Lock	110
GD118		JF-1039B DC36V 25N 10MM Push-pull Permeable Electromagnet Lock	110







GD119		JF-1039 DC12V 25N 10MM Frame Type Electromagnet Lock	110
GD120		JF-1039 DC24V 25N 10MM Frame Type Electromagnet Lock	110
GD121		JF-1040B DC6V 25N 10MM Push-pull Permeable Electromagnet Lock	150
GD122		JF-1040B DC12V 25N 10MM Push-pull Permeable Electromagnet Lock	150
GD123		JF-1040B DC24V 25N 10MM Push-pull Permeable Electromagnet Lock	150
GD124		JF-1040B DC36V 25N 10MM Push-pull Permeable Electromagnet Lock	150







GD125		JF-1040 DC6V 25N 10MM Frame Type Electromagnet Lock	150
GD126		JF-1040 DC12V 25N 10MM Frame Type Electromagnet Lock	150
GD127		JF-1040 DC24V 25N 10MM Frame Type Electromagnet Lock	150
GD128		JF-1040 DC36V 25N 10MM Frame Type Electromagnet Lock	150
GD129		JF-1253B DC6V 42N 10MM Push-pull Permeable Electromagnet Lock	240
GD130		JF-1253B DC12V 42N 10MM Push-pull Permeable Electromagnet Lock	240







GD131		JF-1253B DC24V 42N 10MM Push-pull Permeable Electromagnet Lock	240
GD132		JF-1578B DC6V 5KG10MM Push-pull Permeable Electromagnet Lock	920
GD133		JF-1578B DC6V 5KG 15MM Push-pull Permeable Electromagnet Lock	920
GD134		JF-1578B DC6V 5KG 20MM Push-pull Permeable Electromagnet Lock	920
GD135		JF-1578B DC6V 5KG 25MM Push-pull Permeable Electromagnet Lock	920
GD136		JF-1578B DC6V 5KG 30MM Push-pull Permeable Electromagnet Lock	920







GD137		JF-1578B DC12V 5KG10MM Push-pull Permeable Electromagnet Lock	920
GD138		JF-1578B DC12V 5KG 15MM Push-pull Permeable Electromagnet Lock	920
GD139		JF-1578B DC12V 5KG 20MM Push-pull Permeable Electromagnet Lock	920
GD140		JF-1578B DC12V 5KG 25MM Push-pull Permeable Electromagnet Lock	920
GD141		JF-1578B DC12V 5KG 30MM Push-pull Permeable Electromagnet Lock	920
GD142		JF-1578B DC24V 5KG10MM Push-pull Permeable Electromagnet Lock	920







GD143		JF-1578B DC24V 5KG 15MM Push-pull Permeable Electromagnet Lock	920
GD144		JF-1578B DC24V 5KG 20MM Push-pull Permeable Electromagnet Lock	920
GD145		JF-1578B DC24V 5KG 25MM Push-pull Permeable Electromagnet Lock	920
GD146		JF-1578B DC24V 5KG 30MM Push-pull Permeable Electromagnet Lock	920
GD147	 <p data-bbox="316 1547 496 1585">JF-1683B</p>	JF-1683B DC6V 8KG 20MM Permeable Electromagnet Lock	1200
GD148	 <p data-bbox="316 1868 496 1906">JF-1683B</p>	JF-1683B DC12V 8KG 20MM Permeable Electromagnet Lock	1200







GD149	 <p data-bbox="316 271 496 309">JF-1683B</p>	<p data-bbox="667 129 1072 257">JF-1683B DC24V 8KG 20MM Permeable Electromagnet Lock</p>	1200
GD150	 <p data-bbox="316 591 496 629">JF-1683B</p>	<p data-bbox="667 450 1072 577">JF-1683B DC36V 8KG 20MM Permeable Electromagnet Lock</p>	1200
GD151	 <p data-bbox="316 913 496 952">JF-1683B</p>	<p data-bbox="667 772 1072 900">JF-1683B DC48V 8KG 20MM Permeable Electromagnet Lock</p>	1200
GD152	 <p data-bbox="316 1236 496 1274">JF-1683B</p>	<p data-bbox="675 1095 1064 1223">JF-1683B DC110V 8KG 20MM Permeable Electromagnet Lock</p>	1200
GD153	 <p data-bbox="316 1559 496 1597">JF-1683B</p>	<p data-bbox="675 1413 1064 1541">JF-1683B DC220V 8KG 20MM Permeable Electromagnet Lock</p>	1200
GD154	 <p data-bbox="316 1859 496 1897">JF-1683</p>	<p data-bbox="679 1736 1059 1863">JF-1683 DC12V 8KG 20MM FrameType Electromagnet Lock</p>	1200







GD155	 <p>JF-1683</p>	<p>JF-1683 DC24V 8KG 20MM FrameType Electromagnet Lock</p>	1200
GD156		<p>JF-0520B DC6V 4N 10MM Permeable Electromagnet Lock</p>	20
GD157		<p>JF-0520B DC12V 4N 10MM Permeable Electromagnet Lock</p>	20
GD158		<p>JF-0520B DC24V 4N 10MM Permeable Electromagnet Lock</p>	20
GD159		<p>JF-0520B DC36V 4N 10MM Permeable Electromagnet Lock</p>	20
GD160		<p>JF-0520 DC6V 4N 10MM Permeable Electromagnet Lock</p>	20







GD161		JF-0520 DC12V 4N 10MM Permeable Electromagnet Lock	20
GD162		JF-0520 DC24V 4N 10MM Permeable Electromagnet Lock	20
GD163		JF-0530B DC6V 5N 10MM Permeable Electromagnet Lock	30
GD164		JF-0530B DC12V 5N 10MM Permeable Electromagnet Lock	30
GD165		JF-0530B DC24V 5N 10MM Permeable Electromagnet Lock	30
GD166		JF-0530B DC36V 5N 10MM Permeable Electromagnet Lock	30

GD167		JF-0530 DC6V 5N 10MM Frame Type Electromagnet Lock	30
GD168		JF-0530 DC12V 5N 10MM Frame Type Electromagnet Lock	30
GD169		JF-0530 DC24V 5N 10MM Frame Type Electromagnet Lock	30
GD170		JF-1250B DC6V 60N 10MM Permeable Electromagnet Lock	400
GD171		JF-1250B DC12V 60N 10MM Permeable Electromagnet Lock	400
GD172		JF-1250B DC12V 60N 10MM Permeable Electromagnet Lock	400







GD173		JF-1250B DC36V 60N 10MM Permeable Electromagnet Lock	400
GD174		JF-1250 DC12V 60N 10MM Frame Type Electromagnet Lock	400
GD175		JF-1250 DC24V 60N 10MM Frame Type Electromagnet Lock	400
GD176		HIO-1240L-24V25 200G 15MM FrameType Electromagnet Lock (DC24V 0.96A 23W) Size: 40*24*29MM	260
GD177		HIO-1240S-24B09 DC24V 900G 10MM Electromagnetic Lock Size:40*29*24MM	160
GD178		HIO-1240S-12A07 D6- 24V Electromagnetic Locks Size:29*24*40MM	150







GD179		<p>HIO-0420L-06K40 FrameType Electromagnet Lock (DC6V 0.15A 0.9W) Size: 12*11*20.5MM 3MM/10G 0MM/90G</p> <p>Note: Suitable for Safe Lock, Fingerprint Lock Can be Long - time Power</p>	18
GD180		<p>HIO-1240S DC24V Permeable Electromagnet Lock (DC24 0.96A 23.04W) Size: 40*24*29MM 10MM/400G</p>	70
GD181		<p>HIO-1240L-12E07 Square Electromagnet Lock (DC12 1.3A 16W) Size: 29*24*40MM 2MM/1300G 5MM/850G</p>	75
GD182	 <p>DC 12V</p>	<p>HIO-1240S-12A5.6 DC12V 1KG 10MM Electromagnetic lock</p> <p>Size:40*29*24MM</p>	152
GD183	 <p>DC 24V 10mm, 1200g</p>	<p>HIO-1240S-12A5.6 DC24V 1200G 10MM Electromagnetic lock</p> <p>Size: 40*29*24MM</p>	141
GD184	 <p>200g/5mm DC 6V</p>	<p>HIO-1240L-23 DC6V 200G 5MM Electromagnetic lock</p> <p>Size: 40*29*24MM</p>	150

GD185		<p>DC12V 900MA Low Temperature Delay Electric Plug Lock</p>	500
GD186		<p>DC12V 900MA Room Temperature without Delay Electric Plug Lock</p>	500
GD187		<p>12V/24V Universal Two-wire Electricity Mortise Lock (Unlock after Power Failure)</p> <p>Size:200*38*28MM</p>	500
GD188		<p>12V/24V Universal Five-wire Electricity Mortise Lock (Unlock after Power Failure)</p> <p>Size:200*38*28MM</p>	500
GD189		<p>12V/24V Universal Eight-wire Electricity Mortise Lock (Unlock after Power Failure)</p> <p>Size:200*38*28MM</p>	500
GD190		<p>12V/24V Universal Eight-wire Electricity Mortise Lock (Lock when Power is Off)</p> <p>Size:200*38*28MM</p>	500





GD191		<p>12V/24V Universal Nine-wire Electricity Mortise Lock (Lock when Power is Off)</p> <p>Size:200*38*28MM</p>	500
GD192		<p>Waterproof 250KG DC12V/500-600MA Two-wire Magnetic Lock (Right Outlet, without Feedback)</p>	2000
GD193		<p>Waterproof 250KG DC12V/500-600MA Two-wire Magnetic Lock (Left Outlet, without Feedback)</p>	2000
GD194		<p>Glue Waterproof 250KG DC12V/500- 600MA Two-wire Magnetic Lock Right Outlet</p>	2000
GD195		<p>Glue Waterproof 250KG DC12V/500- 600MA Two-wire Magnetic Lock Left Outlet</p>	2000
GD196		<p>Waterproof 250KG DC12V/500-600MA Five-wire Magnetic Lock</p> <p>Note:Right Outlet with Feedback</p>	2000






GD197		<p>Waterproof 250KG DC12V/500-600MA Five-wire Magnetic Lock</p> <p>Note: Left Outlet with Feedback</p>	2000
GD198		<p>Waterproof 280KG DC12V/500-600MA Two-wire Magnetic Lock</p> <p>Note:Right Outlet, without Feedback</p>	2000
GD199		<p>Waterproof 280KG DC12V/500-600MA Two-wire Magnetic Lock</p> <p>Note:Left Outlet, without Feedback</p>	2000
GD200		<p>Waterproof 280KG DC12V/500-600MA Five-wire Magnetic Lock</p> <p>Note:Right Outlet with Feedback</p>	2000
GD201		<p>Waterproof 280KG DC12V/500-600MA Five-wire Magnetic Lock</p> <p>Note:Left Outlet with Feedback</p>	2000
GD202		<p>Glue Waterproof 280KG DC12V/500- 600MA Two-wire Magnetic Lock Right Outlet</p>	2000






<p>GD203</p>		<p>Glue Waterproof 280KG DC12V/500- 600MA Two-wire Magnetic Lock Left Outlet</p>	<p>2000</p>
<p>GD204</p>		<p>DC12V 0.25A Delay Feedback Equipped with an Electric Plug Lock with Two Wire</p> <p>Note:Unlocking after Power failure</p>	<p>700</p>
<p>GD205</p>		<p>DC12V 0.25A Delay Feedback Equipped with an Electric Plug Lock with Five Wire</p> <p>Note:Unlocking after Power failure</p>	<p>700</p>
<p>GD206</p>		<p>DC12V 0.25A Delay Feedback Equipped with an Electric Plug Lock with Six Wire</p> <p>Note:To Lock after Power Failure</p>	<p>700</p>
<p>GD207</p>		<p>Type A 60KG DC12V 200MA Electromagnetic Lock</p>	<p>600</p>
<p>GD208</p>		<p>Type B 60KG DC12V 200MA Electromagnetic Lock</p>	<p>600</p>




<p>GD209</p>	 <p>A款</p>	<p>Type A 60KG DC24V 200MA Electromagnetic Lock</p>	<p>600</p>
<p>GD210</p>	 <p>B款 38MM 53MM 4MM 80MM</p>	<p>Type B 60KG DC24V 200MA Electromagnetic Lock</p>	<p>600</p>
<p>GD211</p>		<p>130KG DC12V/500- 600MA Electromagnetic Lock</p>	<p>3500</p>
<p>GD212</p>		<p>180KG DC12V/500- 600MA Electromagnetic Lock</p>	<p>3500</p>
<p>GD213</p>		<p>250KG DC12V/ 500- 600MA *2 Double Doors with Magnetic Lock</p> <p>Note: There is No Feedback Signal for The Two Wire</p>	<p>4000</p>
<p>GD214</p>		<p>250KG DC12V/ 500- 600MA *2 Double Doors with Magnetic Lock</p> <p>Note: Five Wire with Feedback Signal</p>	<p>4000</p>

<p>GD215</p>		<p>280KG DC12V/ 500-600MA *2 Double Doors with Magnetic Lock</p> <p>Note: Five Wire with Feedback Signal</p>	<p>4000</p>
<p>GD216</p>		<p>280KG DC12V/ 500-600MA *2 Double Doors with Magnetic Lock</p> <p>Note: There is No Feedback Signal for The Two Wire</p>	<p>4000</p>
<p>GD217</p>		<p>280KG DC12V/ 500-600MA *2 Double Doors with Magnetic Lock</p> <p>Note: Five Wire Can Delay The Lock</p>	<p>4000</p>
<p>GD218</p>		<p>5YOA Handheld 125KHz T5577 CET5200 EM4305 RFID ID Card Key Copier / Writer/ Tag Reader/Duplicator Machine (without battery)</p> <p>Size:71*117*31mm</p>	<p>85</p>
<p>GD219</p>		<p>Handheld 125KHz T5577 CET5200 EM4305 RFID ID Card Key Copier / Writer/ Tag Reader/Duplicator Machine (without battery)</p> <p>Size:71*117*31mm</p>	<p>85</p>



<p>GD220</p>		<p>Handheld 125KHz T5577 CET5200 EM4305 RFID ID Card Key Copier / Writer/ Tag Reader/Duplicator Machine (Without Battery)</p> <p>Package Contents: 1 x Handheld 125k RFID duplicator 5 x rewritable RFID cards 5 x rewritable RFID keyrings Size:71*117*31mm</p>	<p>100</p>
<p>GD221</p>		<p>Handheld 125KHz T5577 CET5200 EM4305 RFID ID Card Key Copier / Writer/ Tag Reader/Duplicator Machine (Without Battery)</p> <p>Package Contents: 1 x Handheld 125k RFID duplicator 6 x rewritable RFID cards 6 x rewritable RFID keyrings Size:71*117*31mm</p>	<p>100</p>
<p>GD222</p>		<p>T5577 EM4305 125KHz Reproducible Induction Card</p>	<p>10</p>
<p>GD223</p>		<p>125KHz Reproducible T5577 Thick Card</p>	<p>10</p>

GD251		25MM 3M Round Coin Card 125KHz HT4168	14
GD224		25MM 125KHz Reproducible Coin Card T5577	14
GD225		125KHz EM4305 T5577 5200 Reproducible Waterproof RFID ID Tag with 3M Back Glue	14
GD250		ACR122U-A9 13.56MHz USB NFC Reader	70
GD226		Army Green Blank Waterproof 125KHz T5577 EM4305 Reproducible RFID ID	16
GD227		Green Blank Waterproof 125KHz T5577 EM4305 Reproducible RFID ID	16
GD228		Grey Blank Waterproof 125KHz T5577 EM4305 Reproducible RFID ID Tag for Access Control	16

GD229		Black Blank Waterproof 125KHz T5577 EM4305 Reproducible RFID ID	16
GD230		White Blank Waterproof 125KHz T5577 EM4305 Reproducible RFID ID	16
GD231		Yellow Blank Waterproof 125KHz T5577 EM4305 Reproducible RFID ID	16
GD232		Orange Blank Waterproof 125KHz T5577 EM4305 Reproducible RFID ID	16
GD233		Blue Blank Waterproof 125KHz T5577 EM4305 Reproducible RFID ID Tag for Access Control	16
GD234		Red Blank Waterproof 125KHz T5577 EM4305 Reproducible RFID ID Tag for Access Control	16
GD235		Purple Blank Waterproof 125KHz T5577 EM4305 Reproducible RFID ID	16
GD236		Blue RW1990 Reproducible Rewritable TM Card	15
GD237		Red RW1990 Reproducible Rewritable TM Card	15
GD238		Green RW1990 Reproducible Rewritable TM Card	15
GD239		Black RW1990 Reproducible Rewritable TM Card	15

GD240		<p>Yellow RW1990 Reproducible Rewritable TM Card</p>	15
GD241		<p>Blue UID Dripping Glue Card 13.56MHz Writable IC Cards Clone Changeable</p>	10
GD242		<p>UID Card 13.56MHz Writable IC Cards Clone Changeable 85.5*54MM</p>	10
GD243		<p>M5 RFID Access Control Machine with Fingerprint Reading</p>	200

GD244		<p>M7 RFID Access Control Machine with Fingerprint Reading</p>	200
GD245		<p>Black WG26/34 125KHz RFID Contactless Smart Card Reader IP65</p>	200
GD246		<p>Black WG26/34 13.56mhz RFID Contactless Smart Card Reader IP65</p>	200
GD247		<p>Beige WG26/34 125KHz RFID Contactless Smart Card Reader IP65</p>	200
GD248		<p>Beige WG26/34 13.56mhz RFID Contactless Smart Card Reader IP65</p>	200
GD249		<p>RTU5035 2G GSM Door Wireless Remote Gate Control Phone Opener Controller</p>	300

GD252		Black WG26/34 125KHz RFID Contactless Smart Card Reader IP65 (without Buttons)	200
GD253		Black WG26/34 13.56Mhz RFID Contactless Smart Card Reader IP65 (without Buttons)	200
GD254		Black WG26/34 125KHz RFID Contactless Smart Card Reader IP65 (with Buttons)	200
GD255		Black WG26/34 13.56Mhz RFID Contactless Smart Card Reader IP65 (with Buttons)	200