













# Fans (HA)







SKU	PICTURE	NAME	Weight (g)
3B152		12V 3010 Cooling Fan	
3B153		12V 4010 Cooling Fan	
3B387		5V 4010 Cooling Fan 40*40*10MM	
3B388		5V 4010 Blue Led Cooling Fan 40*40*10MM	
3B284		High Quality 4010 Cooling Fan 24V 0.09A	







<p><b>3B154</b></p>		<p>12V 5010 Cooling Fan</p>	
<p><b>3B155</b></p>		<p>12V 6010 Cooling Fan</p>	
<p><b>3C066</b></p>		<p>12V 5015 Cooling Fan</p>	
<p><b>3B156</b></p>		<p>12V 5015 Blow Fan</p>	
<p><b>3B316</b></p>		<p>D80SH-12 802S 12V 0*18A Cooling Fan</p>	
<p><b>RA003</b></p>		<p>5V Raspberry Pi Fans, Size 3010 with Screw &amp; Nut</p>	

3B318		<p>3007 5V 0.2A PI-Fan 30*30*7MM Red 1*2p</p>	
3B385		<p>3007 5V 0.2A PI-Fan 30*30*7MM Black 1*2p MOQ 50</p>	
3B386		<p>3007 5V 0.2A PI-Fan 30*30*7MM Black 2*1p MOQ 50</p>	
HA001		<p><b>DC5V 2507 Hydraulic</b> Cooling Fan with XH2.54-2P 30CM Cable Size:25*25*7MM</p>	10
HA002		<p><b>DC5V 2507 Oil</b> <b>Containing</b> Cooling Fan with XH2.54-2P 30CM Cable <b>(8000RPM)</b> Size:25*25*7MM</p>	10
HA003		<p><b>DC12V 2507 Hydraulic</b> Cooling Fan with XH2.54-2P 30CM Cable Size:25*25*7MM</p>	10

HA004		<p><b>DC12V 2507 Oil</b>  <b>Containing Cooling</b>  <b>Fan with XH2.54-2P</b>  <b>30CM Cable</b>  <b>(9000RPM)</b>  <b>Size:25*25*7MM</b></p>	10
HA005		<p><b>DC24V 2507 Hydraulic</b>  <b>Cooling Fan with</b>  <b>XH2.54-2P 30CM Cable</b>  <b>Size:25*25*7MM</b></p>	10
HA006		<p><b>DC24V 2507 Oil</b>  <b>Containing Cooling</b>  <b>Fan with XH2.54-2P</b>  <b>30CM Cable</b>  <b>Size:25*25*7MM</b></p>	10
HA007		<p><b>DC5V 3010 Hydraulic</b>  <b>Cooling Fan with</b>  <b>XH2.54-2P 30CM Cable</b>  <b>Size:30*30*10MM</b></p>	10
HA008		<p><b>DC5V 3010 Oil</b>  <b>Containing Cooling</b>  <b>Fan with XH2.54-2P</b>  <b>30CM Cable</b>  <b>Size:30*30*10MM</b>  <b>MOQ50</b></p>	停产， 升级为 液压的，请 下 HA007
HA009		<p><b>DC5V 3010 Double Ball</b>  <b>Cooling Fan with</b>  <b>XH2.54-2P 30CM Cable</b>  <b>Size:30*30*10MM</b></p>	10


HA010		<p><b>DC5V 3010 Hydraulic Cooling Fan with USB</b>  <b>Size:30*30*10MM</b></p>	10
HA011		<p><b>DC5V 3010 Double Ball Cooling Fan with USB</b>  <b>Size:30*30*10MM</b></p>	10
HA012		<p><b>DC12V 3010 Hydraulic Cooling Fan with XH2.54-2P 30CM Cable</b>  <b>Size:30*30*10MM</b></p>	10
HA013		<p><b>DC12V 3010 Double Ball Cooling Fan with XH2.54-2P 30CM Cable</b>  <b>Size:30*30*10MM</b></p>	10
HA014		<p><b>DC24V 3010 Hydraulic Cooling Fan with XH2.54-2P 30CM Cable</b>  <b>Size:30*30*10MM</b></p>	10
HA015		<p><b>DC24V 3010 Double Ball Cooling Fan with XH2.54-2P 30CM Cable</b>  <b>Size:30*30*10MM</b></p>	10







HA016		<p><b>DC5V 3510 Hydraulic</b> Cooling Fan with XH2.54-2P 30CM Cable Size:35*35*10MM</p>	11
HA017		<p><b>DC5V 3510 Double Ball</b> Cooling Fan with XH2.54-2P 30CM Cable Size:35*35*10MM</p>	10
HA018		<p><b>DC5V 3510 Hydraulic</b> Cooling Fan with <b>USB</b> Size:35*35*10MM</p>	11
HA019		<p><b>DC5V 3510 Double Ball</b> Cooling Fan with <b>USB</b> Size:35*35*10MM</p>	11
HA020		<p><b>DC12V 3510 Hydraulic</b> Cooling Fan with XH2.54-2P 30CM Cable Size:35*35*10MM</p>	11
HA021		<p><b>DC12V 3510 Double</b> <b>Ball</b> Cooling Fan with XH2.54-2P 30CM Cable Size:35*35*10MM</p>	11







HA022		<p><b>DC24V 3510 Hydraulic</b> Cooling Fan with XH2.54-2P 30CM Cable Size:35*35*10MM</p>	11
HA023		<p><b>DC24V 3510 Double</b> <b>Ball</b> Cooling Fan with XH2.54-2P 30CM Cable Size:35*35*10MM</p>	11
HA024		<p><b>DC5V 4010 Double Ball</b> Cooling Fan with XH2.54-2P 30CM Cable Size:40*40*10MM</p>	16
HA025		<p><b>DC5V 4010 Double Ball</b> Cooling Fan with <b>USB</b> Size:40*40*10MM</p>	30
HA026		<p><b>DC12V 4010 Oil</b> <b>Containing</b> Cooling Fan with XH2.54-2P 30CM Cable Size:40*40*10MM</p>	16
HA027		<p><b>DC12V 4010 Double</b> <b>Ball</b> Cooling Fan with XH2.54-2P 30CM Cable Size:40*40*10MM</p>	16







HA028		<p><b>DC24V 0.1A 4010 Oil Containing</b> Cooling Fan with XH2.54-2P 30CM Cable Size:40*40*10MM</p>	16
HA029		<p><b>DC24V 0.1A 4010 Double Ball</b> Cooling Fan with XH2.54-2P 30CM Cable Size:40*40*10MM</p>	16
HA143		<p><b>DC12V 4015 Oil Containing</b> Cooling Fan with XH2.54-2P 30CM Cable Size:40*40*15MM</p>	16
HA144		<p><b>DC24V 4015 Oil Containing</b> Cooling Fan with XH2.54-2P 30CM Cable Size:40*40*15MM</p>	16
HA148		<p><b>DC5V 4020 Oil Containing</b> Cooling Fan with XH2.54-2P 30CM Cable</p>	26
HA149		<p><b>DC12V 4020 Oil Containing</b> Cooling Fan with XH2.54-2P 30CM Cable</p>	26
HA150		<p><b>DC24V 4020 Oil Containing</b> Cooling Fan with XH2.54-2P 30CM Cable</p>	26









HA151		<b>DC5V 4020 Double Ball Cooling Fan with XH2.54-2P 30CM Cable</b> <b>Size:40*40*20MM</b>	26
HA152		<b>DC12V 4020 Double Ball Cooling Fan with XH2.54-2P 30CM Cable</b> <b>Size:40*40*20MM</b>	26
HA153		<b>DC24V 4020 Double Ball Cooling Fan with XH2.54-2P 30CM Cable</b> <b>Size:40*40*20MM</b>	26
HA030		<b>DC5V 4020 Oil Containing Centrifugal Fan with XH2.54-2P 30CM Cable</b> <b>Size:40*40*20MM</b>	22
HA031		<b>DC5V 4020 Hydraulic Centrifugal Fan with XH2.54-2P 30CM Cable</b> <b>Size:40*40*20MM</b>	22
HA032		<b>DC5V 4020 Double Ball Centrifugal Fan with XH2.54-2P 30CM Cable</b> <b>Size:40*40*20MM</b>	22
HA033		<b>DC12V 4020 Oil Containing Centrifugal Fan with XH2.54-2P 30CM Cable</b> <b>Size:40*40*20MM</b>	22

HA034		<p><b>DC12V 4020 Hydraulic Centrifugal Fan with XH2.54-2P 30CM Cable</b>  <b>Size:40*40*20MM</b></p>	22
HA035		<p><b>DC12V 4020 Double Ball Centrifugal Fan with XH2.54-2P 30CM Cable</b>  <b>Size:40*40*20MM</b></p>	22
HA036		<p><b>DC24V 4020 Oil Containing Centrifugal Fan with XH2.54-2P 30CM Cable</b>  <b>Size:40*40*20MM</b></p>	22
HA037		<p><b>DC24V 4020 Hydraulic Centrifugal Fan with XH2.54-2P 30CM Cable</b>  <b>Size:40*40*20MM</b></p>	22
HA038		<p><b>DC24V 4020 Double Ball Centrifugal Fan with XH2.54-2P 30CM Cable</b>  <b>Size:40*40*20MM</b></p>	22
HA039		<p><b>DC5V 5010 Oil Containing Cooling Fan with XH2.54-2P 30CM Cable</b>  <b>Size:50*50*10MM</b></p>	18







HA040		<p><b>DC5V 5010 Oil Containing Cooling Fan with USB</b>  <b>Size:50*50*10MM</b></p>	18
HA041		<p><b>DC5V 5010 Double Ball Cooling Fan with XH2.54-2P 12CM Cable</b>  <b>Size:50*50*10MM</b></p>	11
HA042		<p><b>DC5V 5010 Double Ball Cooling Fan with USB</b>  <b>Size:50*50*10MM</b></p>	11
HA043		<p><b>DC12V 5010 Oil Containing Cooling Fan with XH2.54-2P 12CM Cable</b>  <b>Size:50*50*10MM</b></p>	18
HA044		<p><b>DC12V 5010 Double Ball Cooling Fan with XH2.54-2P 12CM Cable</b>  <b>Size:50*50*10MM</b></p>	11
HA045		<p><b>DC24V 5010 Oil Containing Cooling Fan with XH2.54-2P 12CM Cable</b>  <b>Size:50*50*10MM</b></p>	18

HA046		<p><b>DC24V 5010 Double Ball Cooling Fan with XH2.54-2P 12CM Cable</b>  <b>Size:50*50*10MM</b></p>	11
HA047		<p><b>DC5V 5015 Oil Containing Cooling Fan with XH2.54-2P 30CM Cable</b>  <b>Size:50*50*15MM</b></p>	25
HA048		<p><b>DC5V 5015 Double Ball Cooling Fan with XH2.54-2P 30CM Cable</b>  <b>Size:50*50*15MM</b></p>	25
HA049		<p><b>DC12V 5015 Oil Containing Cooling Fan with XH2.54-2P 30CM Cable</b>  <b>Size:50*50*15MM</b></p>	25
HA050		<p><b>DC12V 5015 Double Ball Cooling Fan with XH2.54-2P 30CM Cable</b>  <b>Size:50*50*15MM</b></p>	25
HA051		<p><b>DC24V 5015 Oil Containing Cooling Fan with XH2.54-2P 30CM Cable</b>  <b>Size:50*50*15MM</b></p>	25







HA052		<p><b>DC24V 5015 Double Ball Cooling Fan with XH2.54-2P 30CM Cable</b>  <b>Size:50*50*15MM</b></p>	25
HA053		<p><b>DC5V 0.25A 5015 Oil Containing Centrifugal Fan with XH2.54-2P 30CM Cable</b>  <b>Size:50*50*15MM</b></p>	26
HA054		<p><b>DC5V 0.25A 5015 Hydraulic Centrifugal Fan with XH2.54-2P 30CM Cable</b>  <b>Size:50*50*15MM</b></p>	26
HA055		<p><b>DC5V 0.06A 5015 Double Ball Centrifugal Fan with XH2.54-2P 30CM Cable</b>  <b>Size:50*50*15MM</b></p>	26
HA056		<p><b>DC12V 5015 Hydraulic Centrifugal Fan with XH2.54-2P 30CM Cable</b>  <b>Size:50*50*15MM</b></p>	26
HA057		<p><b>DC12V 0.06A 5015 Double Ball Centrifugal Fan with XH2.54-2P 30CM Cable</b>  <b>Size:50*50*15MM</b></p>	26







HA058		<p><b>DC12V 0.28A 5015</b>  <b>Double Ball Centrifugal</b>  <b>Fan with XH2.54-2P</b>  <b>30CM Cable</b>  <b>Size:50*50*15MM</b></p>	26
HA059		<p><b>DC24V 5015 Oil</b>  <b>Containing Centrifugal</b>  <b>Fan with XH2.54-2P</b>  <b>30CM Cable</b>  <b>Size:50*50*15MM</b></p>	26
HA060		<p><b>DC24V 5015 Hydraulic</b>  <b>Centrifugal Fan with</b>  <b>XH2.54-2P 30CM Cable</b>  <b>Size:50*50*15MM</b></p>	26
HA061		<p><b>DC5V 0.15A 5020 Oil</b>  <b>Containing Cooling</b>  <b>Fan with XH2.54-2P</b>  <b>25CM Cable</b>  <b>Size:50*50*20MM</b></p>	26
HA062		<p><b>DC5V 5020 Double Ball</b>  <b>Cooling Fan with</b>  <b>XH2.54-2P 25CM Cable</b>  <b>Size:50*50*20MM</b></p>	26
HA063		<p><b>DC12V 5020 Oil</b>  <b>Containing Cooling</b>  <b>Fan with XH2.54-2P</b>  <b>25CM Cable</b>  <b>Size:50*50*20MM</b></p>	26







HA064		<b>DC12V 5020 Double Ball Cooling Fan with XH2.54-2P 25CM Cable</b> Size:50*50*20MM	26
HA065		<b>DC24V 5020 Oil Containing Cooling Fan with XH2.54-2P 25CM Cable</b> Size:50*50*20MM	26
HA066		<b>DC24V 5020 Double Ball Cooling Fan with XH2.54-2P 25CM Cable</b> Size:50*50*20MM	26
HA154		<b>DC5V 6010 Oil Containing Cooling Fan with XH2.54-2P 30CM Cable</b>	26
HA155		<b>DC24V 6010 Oil Containing Cooling Fan with XH2.54-2P 30CM Cable</b>	26
HA156		<b>DC5V 6010 Double Ball Cooling Fan with XH2.54-2P 30CM Cable</b> Size:60*60*10MM	26
HA157		<b>DC12V 6010 Double Ball Cooling Fan with XH2.54-2P 30CM Cable</b> Size:60*60*10MM	26
HA158		<b>DC24V 6010 Double Ball Cooling Fan with XH2.54-2P 30CM Cable</b> Size:60*60*10MM	26







HA145		<p><b>DC5V 0.22A 6015 Oil</b>  <b>Containing Cooling</b>  <b>Fan with XH2.54-2P</b>  <b>30CM Cable</b>  <b>Size:60*60*15MM</b></p>	28
HA146		<p><b>DC12V 0.14A 6015 Oil</b>  <b>Containing Cooling</b>  <b>Fan with XH2.54-2P</b>  <b>30CM Cable</b>  <b>Size:60*60*15MM</b></p>	28
HA147		<p><b>DC24V 0.14A 6015 Oil</b>  <b>Containing Cooling</b>  <b>Fan with XH2.54-2P</b>  <b>30CM Cable</b>  <b>Size:60*60*15MM</b></p>	28
HA067	<p>DC 7010 70*70*10MM  - 5V 12V 24V -</p> 	<p><b>DC5V 7010 Oil</b>  <b>Containing Cooling</b>  <b>Fan with XH2.54-2P</b>  <b>25CM Cable</b>  <b>Size:70*70*10MM</b></p>	26
HA068	<p>DC 7010 70*70*10MM  - 5V 12V 24V -</p> 	<p><b>DC5V 7010 Double Ball</b>  <b>Cooling Fan with</b>  <b>XH2.54-2P 25CM Cable</b>  <b>Size:70*70*10MM</b></p>	26
HA069	<p>DC 7010 70*70*10MM  - 5V 12V 24V -</p> 	<p><b>DC5V 7010 Double Ball</b>  <b>Cooling Fan with USB</b>  <b>25CM Cable</b>  <b>Size:70*70*10MM</b></p>	26















HA070	<p>DC 7010 70*70*10MM - 5V 12V 24V -</p> 	<p><b>DC5V 7010 Double Ball Cooling Fan with USB 1M Cable</b> Size:70*70*10MM</p>	26
HA071	<p>DC 7010 70*70*10MM - 5V 12V 24V -</p> 	<p><b>DC12V 7010 Oil Containing Cooling Fan with XH2.54-2P 25CM Cable</b> Size:70*70*10MM</p>	26
HA072	<p>DC 7010 70*70*10MM - 5V 12V 24V -</p> 	<p><b>DC12V 7010 Oil Containing Cooling Fan with USB</b> Size:70*70*10MM</p>	26
HA073	<p>DC 7010 70*70*10MM - 5V 12V 24V -</p> 	<p><b>DC12V 7010 Double Ball Cooling Fan with XH2.54-2P 25CM Cable</b> Size:70*70*10MM</p>	26
HA074	<p>DC 7010 70*70*10MM - 5V 12V 24V -</p> 	<p><b>DC12V 7010 Double Ball Cooling Fan with USB 25CM Cable</b> Size:70*70*10MM</p>	26
HA075	<p>DC 7010 70*70*10MM - 5V 12V 24V -</p> 	<p><b>DC12V 7010 Double Ball Cooling Fan with USB 1M Cable</b> Size:70*70*10MM</p>	26







HA076	<p>DC 7010 70*70*10MM - 5V 12V 24V -</p> 	<p><b>DC24V 7010 Oil</b> <b>Containing Cooling</b> <b>Fan with XH2.54-2P</b> <b>25CM Cable</b> <b>Size:70*70*10MM</b></p>	26
HA077	<p>DC 7010 70*70*10MM - 5V 12V 24V -</p> 	<p><b>DC24V 7010 Double</b> <b>Ball Cooling Fan with</b> <b>XH2.54-2P 25CM Cable</b> <b>Size:70*70*10MM</b></p>	26
HA078	<p>PWM温控四线 DC 12V直流无刷散热风扇 免维护·液压轴承</p> 	<p><b>7015 Black 12V</b> <b>Cooling Fan 0.18A</b></p>	15
HA079		<p><b>Silent DC5V 7530 Oil</b> <b>Containing Centrifugal</b> <b>Fan with XH2.54-2P</b> <b>30CM Cable</b> <b>Size:75*75*30MM</b></p>	67
HA080		<p><b>DC5V 7530 Double</b> <b>Ball Centrifugal Fan</b> <b>with XH2.54-2P 30CM</b> <b>Cable</b> <b>Size:75*75*30MM</b></p>	67
HA081		<p><b>DC12V 0.27A 7530 Oil</b> <b>Containing Centrifugal</b> <b>Fan with XH2.54-2P</b> <b>30CM Cable</b> <b>Size:75*75*30MM</b></p>	67







HA082		<p><b>DC12V 0.0.33A 7530</b>  <b>Double Ball Centrifugal Fan with XH2.54-2P</b>  <b>30CM Cable</b>  <b>Size:75*75*30MM</b></p>	67
HA083		<p><b>DC24V 7530 Oil</b>  <b>Containing Centrifugal Fan with XH2.54-2P</b>  <b>30CM Cable 4000RPM</b>  <b>Size:75*75*30MM</b></p>	67
HA084		<p><b>DC24V 7530 Double</b>  <b>Ball Centrifugal Fan with XH2.54-2P 30CM</b>  <b>Cable 4100RPM</b>  <b>Size:75*75*30MM</b></p>	67
HA085		<p><b>DC5V 8010 Oil</b>  <b>Containing Cooling Fan with XH2.54-2P</b>  <b>30CM Cable</b>  <b>Size:80*80*10MM</b></p>	34
HA086		<p><b>DC5V 8010 Oil</b>  <b>Containing Cooling Fan with USB</b>  <b>Size:80*80*10MM</b></p>	34
HA087		<p><b>DC5V 8010 Double</b>  <b>Ball Cooling Fan with XH2.54-2P 30CM Cable</b>  <b>Size:80*80*10MM</b></p>	34

HA088		<p><b>DC5V 8010 Double Ball Cooling Fan with USB</b> Size:80*80*10MM</p>	34
HA089		<p><b>DC12V 8010 Oil Containing Cooling Fan with XH2.54-2P 30CM Cable</b> Size:80*80*10MM</p>	34
HA090		<p><b>DC12V 8010 Double Ball Cooling Fan with XH2.54-2P 30CM Cable</b> Size:80*80*10MM</p>	34
HA091		<p><b>DC24V 8010 Oil Containing Cooling Fan with XH2.54-2P 30CM Cable</b> Size:80*80*10MM</p>	34
HA092		<p><b>DC24V 8010 Double Ball Cooling Fan with XH2.54-2P 30CM Cable</b> Size:80*80*10MM</p>	34
HA093		<p><b>DC5V 0.27A 8025 Oil Containing Cooling Fan with XH2.54-2P 30CM Cable</b> Size:80*80*25MM</p>	60






HA094		<p><b>DC5V 0.27A 8025 Oil Containing Cooling Fan with USB 1M Cable</b>  <b>Size:80*80*25MM</b></p>	60
HA095		<p><b>DC5V 0.27A 8025 Double Ball Cooling Fan with XH2.54-2P 30CM Cable</b>  <b>Size:80*80*25MM</b></p>	60
HA096		<p><b>DC5V 0.27A 8025 Double Ball Cooling Fan with USB 1M Cable</b>  <b>Size:80*80*25MM</b></p>	60
HA097		<p><b>DC12V 0.25A 8025 Oil Containing Cooling Fan with XH2.54-2P 30CM Cable</b>  <b>Size:80*80*25MM</b></p>	60
HA098		<p><b>DC12V 0.25A 8025 Double Ball Cooling Fan XH2.54-2P 30CM Cable</b>  <b>Size:80*80*25MM</b></p>	60
HA099		<p><b>DC24V 8025 Oil Containing Cooling Fan with XH2.54-2P 30CM Cable</b>  <b>Size:80*80*25MM</b></p>	60







HA100		<p><b>DC24V 8025 Double Ball Cooling Fan</b> XH2.54-2P 30CM Cable Size:80*80*25MM</p>	60
HA101		<p><b>9225 DC5V Oil Containing Cooling Fan</b></p>	68
HA102		<p><b>9225 DC12V 0.25A Oil Containing Cooling Fan</b></p>	68
HA103		<p><b>9225 DC24V Oil Containing Cooling Fan</b></p>	68
HA104		<p><b>12025 110V Oil Containing Cooling Fan</b></p>	50
HA105		<p><b>12025 220V Oil Containing Cooling Fan</b></p>	50







HA106		<b>12025 110V Double Ball Cooling Fan</b>	50
HA107		<b>12025 220V Double Ball Cooling Fan</b>	50
HA108		<b>12025 380V Double Ball Cooling Fan</b>	50
HA109		<b>12038 110V Oil Containing Cooling Fan</b>	50
HA110		<b>12038 220V Oil Containing Cooling Fan</b>	50
HA111		<b>12038 110V Double Ball Cooling Fan</b>	50






HA112		<b>12038 220V Double Ball Cooling Fan</b>	50
HA113		<b>12038 380V Double Ball Cooling Fan</b>	50
HA114		<b>120*120*25MM 220V 16W Oil Containing Cooling Fan</b>	50
HA115		<b>120*120*25MM 220V 16W Double Ball Cooling Fan</b>	50
HA116		<b>135*135*38MM 220V 25W Oil Containing Cooling Fan</b>	50
HA117		<b>135*135*38MM 220V 25W Double Ball Cooling Fan</b>	50






HA118		<p><b>Nvidia Jetson Nano Fan 5V 4PIN Recoil Proof PWM Quick Cooling Setting Keep JANSON NANO in Good Working Condition</b>  <b>Size:40mmx40mmx20</b></p>	35
HA119		<p><b>Nvidia Jetson Nano Fan 5V 4PIN Recoil Proof PWM Quick Cooling Setting Keep JANSON NANO in Good Working Condition (Fan Only with Acrylic Housing and Screw)</b></p>	140
HA120		<p><b>SUNON PMD1238PQB1-A DC12V 3.6W 4028 Axial Double Ball Cooling Fan</b>  <b>Size:40*40*28MM</b></p>	35
HA121		<p><b>New Original AVC BA10033B12U 9733 12V 2.4A Third Line Speed Double Ball Cooling Fan</b></p>	40
HA122		<p><b>RGB 12CM Silent Chassis Cooling Fan 4 Colors LED Lighting Large 4 PIN Heatsink for Desktop PC Case (Double aperture - Four Colors)</b></p>	40

HA123		<p><b>3F-85 8CM Chassis Overclocking Fan, Curved Blade Design, Quiet Air Volume, to Improve Chassis Ventilation</b>  <b>Size: 80*80*25MM</b></p>	68
HA124		<p><b>FANTECH FC-124 RGB Aperture Cooling Computer Host Fan</b>  <b>Size: 120*120*25MM</b>  <b>MOQ6</b></p>	35
HA125		<p><b>Original SNOWFAN3007 (YY3007H05S) DC5V 0.18A Silent Cooling Fan with PH2.0-2P</b></p>	20
HA126		<p><b>Original SNOWFAN4010 DC5V (YY4010H05S) DC5V 0.14A Silent Cooling Fan with XH2.54-2P</b></p>	20
HA127		<p><b>Original SNOWFAN4010 (YY4010M12S) DC12V 0.08A Silent Cooling Fan with XH2.54-2P</b></p>	20
HA128		<p><b>RED 12025 DC12V LED Silent Double Aperture Mute Exhaust Cooling Fan with 15 Light</b>  <b>Size: 120*120*25MM</b>  <b>MOQ2</b></p>	30

HA129		<b>RED 12025 DC12V LED</b> <b>Silent Double Aperture</b> <b>Mute Exhaust Cooling</b> <b>Fan with 33 Light</b> <b>Size: 120*120*25MM</b> <b>MOQ2</b>	30
HA130		<b>Blue 12025 DC12V LED</b> <b>Silent Double Aperture</b> <b>Mute Exhaust Cooling</b> <b>Fan with 15 Light</b> <b>Size: 120*120*25MM</b> <b>MOQ2</b>	115
HA131		<b>Blue 12025 DC12V LED</b> <b>Silent Double Aperture</b> <b>Mute Exhaust Cooling</b> <b>Fan with 33 Light</b> <b>Size: 120*120*25MM</b> <b>MOQ2</b>	30
HA132		<b>Green 12025 DC12V</b> <b>LED Silent Double</b> <b>Aperture Mute Exhaust</b> <b>Cooling Fan with 15</b> <b>Light</b> <b>Size: 120*120*25MM</b> <b>MOQ2</b>	115
HA133		<b>Green 12025 DC12V</b> <b>LED Silent Double</b> <b>Aperture Mute Exhaust</b> <b>Cooling Fan with 33</b> <b>Light</b> <b>Size: 120*120*25MM</b> <b>MOQ2</b>	30
HA134		<b>White 12025 DC12V</b> <b>LED Silent Double</b> <b>Aperture Mute Exhaust</b> <b>Cooling Fan with 15</b> <b>Light</b> <b>Size: 120*120*25MM</b> <b>MOQ2</b>	115

HA135		<p><b>White 12025 DC12V</b>  <b>LED Silent Double</b>  <b>Aperture Mute Exhaust</b>  <b>Cooling Fan with 33</b>  <b>Light</b>  <b>Size: 120*120*25MM</b>  <b>MOQ2</b></p>	30
HA136		<p><b>Colorful 12025 DC12V</b>  <b>LED Silent Double</b>  <b>Aperture Mute Exhaust</b>  <b>Cooling Fan with 15</b>  <b>Light</b>  <b>Size: 120*120*25MM</b>  <b>MOQ2</b></p>	115
HA137		<p><b>Colorful 12025 DC12V</b>  <b>LED Silent Double</b>  <b>Aperture Mute Exhaust</b>  <b>Cooling Fan with 33</b>  <b>Light</b>  <b>Size: 120*120*25MM</b>  <b>MOQ2</b></p>	30
HA138		<p><b>12CM LED Ultra Silent</b>  <b>Desktop Computer</b>  <b>Host Aurora Chassis</b>  <b>Cooling Fan (Magic</b>  <b>Mirror Colorful</b>  <b>Edition)</b>  <b>Size:120*120*25MM</b></p>	60
HA139		<p><b>1 PCS DC12V Water</b>  <b>Cooled Radiator</b>  <b>Temperature</b>  <b>Controlled CPU Fan</b>  <b>(5-Color PWM Speed</b>  <b>Regulating Fan)</b>  <b>Size:120*120*25MM</b>  <b>MOQ2</b></p> <p><b>Note: Liquid Radiator for</b>  <b>LGA775 / 115X / AM4 / AM3</b></p>	1200

HA140		<p><b>2 PCS DC12V Water Cooled Radiator Temperature Controlled CPU Fan (5-Color PWM Speed Regulating Fan)</b>  <b>Size: (120*120*25)*2MM</b>  <b>MOQ2</b></p> <p>Note: Liquid Radiator for</p>	1600
HA141		<p><b>NOCTUA NF-A4x20 5V PWM Intelligent Temperature Control Cooling Box Fan</b>  <b>Size: 40*40*20MM</b>  <b>MOQ2</b></p>	1100
HA142		<p><b>NOCTUA NF-A9-5V PWM Ultra-thin Silent Case Cooling Fan 5V PWM Rubber Damping CPU Radiator Fan</b>  <b>Size: 92*92*25MM</b>  <b>MOQ2</b></p>	1100